


## Data sheet | Item number: 788-120

Accessories for relay modules; Operation status indicator: red; Nominal operating voltage: 24 VDC

[www.wago.com/788-120](http://www.wago.com/788-120)



### Data

#### Notes

Note Only required when using relays without integrated status indicator!

### Technical data

#### Operating data

Nominal operating voltage	DC 24 V
Operating voltage	12 ... 24 VDC
Power consumption at $U_N$	2.4 mA

#### Signaling

Status indicator	Red LED
------------------	---------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Safety and protection

Protection type	IP20
-----------------	------

## Mechanical data

Mounting type	Pluggable module
---------------	------------------

## Material data

Fire load	0.037 MJ
Weight	1.5 g

## Commercial data

Product Group	6 (Interface Electronics)
PU (SPU)	50 (25) Each
Packaging type	box
Country of origin	DE
GTIN	4045454351960
Customs tariff number	85318070000

## Downloads

### Documentation

#### Bid Text

788-120 docx - Datei	Feb 20, 2019	docx 15.4 kB	Download
788-120 X81 - Datei	Feb 19, 2019	xml 2.6 kB	Download

#### Additional Information

Disposal; Electrical and electronic equipment, Packaging	V 1.0.0	pdf 265.8 kB	Download
--	---------	-----------------	----------

## CAD/CAE-Data

### CAE data

EPLAN Data Portal 788-120	URL	Download
---------------------------	-----	----------

Subject to changes. Please also observe the further product documentation!



---

WSCAD Universe 788-120	<a href="#">URL</a>	<a href="#">Download</a>
------------------------	---------------------	--------------------------

---

ZUKEN Portal 788-120	<a href="#">URL</a>	<a href="#">Download</a>
----------------------	---------------------	--------------------------

#### CAD data

---

2D/3D Models 788-120	<a href="#">URL</a>	<a href="#">Download</a>
----------------------	---------------------	--------------------------

### Environmental Product Compliance

#### Compliance Search

---

Environmental Product Compliance 788-120	<a href="#">URL</a>	<a href="#">Download</a>
--	---------------------	--------------------------

Accessories for relay modules; Operation status indicator: red; Nominal operating voltage: 24 VDC

### Installation Notes

Subject to changes. Please also observe the further product documentation!